



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME EIGHT.

- Abutilon, fertilization of, 223.
 Acanthometra, 746.
 Actinophys, 745.
 Aeyttaria, 743.
 Adelops hirtus, larva of, 563.
 Adoxa moschatellina, 690.
 Æcidium Parryi, 215.
 psoraleæ, 215.
 Æstivation of Plants, 705.
 Agricultural ant, 513.
 Alburnus amœnus, 334.
 Algæ, 306.
 key to, 398, 479.
 Allogastra, 392.
 Allosorus acrostichoides, 304.
 American bison, 73.
 tent caterpillar, 272.
 Amœba, 741.
 Amphipleura pellucida, 443.
 Amphiuira Otteri, 153.
 Anopthalmus, larvæ of, 562.
 Anser hyperboreus, 637.
 Antarctic sea, temperature in, 637.
 Antedon Sarsii, 145.
 Anthribidæ, 468.
 Ants, robber, 564.
 sweet scented, 564.
 Apionidæ, 469.
 Aplectrum hyemale, 307.
 Aplocerus montanus, 164.
 Aplopappus multicaulis, 213.
 Apple, 752.
 Aquilegia Jonesii, 211.
 Aramus giganteus, 89.
 Archibuteo ferrugineus, 597.
 Architeuthis monachus, 167.
 Argas Americana, 219.
 Arnica foliosa, 213.
 Parryi, 213.
 Ascidia callosa, 148.
 Aster Parryi, 212.
 Astragalus Grayi, 212.
 ventorum, 212.
 Attacus Promethea, 234.
 Attelabidæ, 391.
 Azalea viscosa, 517.
 Baird's bunting, 241.
 Bathybius, 729.
 Beaver, parasite of, 427.
 Beetle parasite of the beaver, 427.
 Beetles, 693.
 Belidæ, 470.
 Birds, 434.
 American water, 108.
 migration of, 338.
 North American, 546.
 variation in, 534. [197.
 variation in notes and nesting of,
 Black-breasted woodpecker, 242.
 Blind crustacea, 368.
 Blood, 638.
 corpuscles, 376.
 crystals, 568.
 Blue grosbeak, 563.
 heron, 89.
 jay, 87.
 Bombus, 685.
 Bos longifrons, 135.
 primigenius, 73, 136.
 Botany of Western Wyoming, 9, 102.
 Botrychium lunaria, 360.
 Brachiopods, 43, 46, 51, 756.
 Brain, geography of, 565.
 in Tertiary mammals, 503.
 Brenthidæ, 463.
 Brontotheridæ, 79.
 Brown-headed nuthatch, 86.
 Buteo Swainsoni, 596.
 Butterflies, 420.
 Byrsopidæ, 395.
 Calandridæ, 465.
 Canker worm, 272.
 Cannibalism in America, 403.
 Carex tenuirostris, 214.
 Caterpillars, preservation of, 321.
 Centrocercus urophasianus, 240.
 Centronyx Bairdi, 241.
 Cermatia forceps, 308.
 Cerura, 692.
 Cestracion, 131.
 Cetacea, fossil, 694.
 Chalcis mytilaspidis, 280.
 Chimney swift, 367.
 Circulation, physiology of, 684.
 Cirrhatulus grandis, 494.
 Clymenella, 494.
 Coelenterates and Echinoderms, relation
 of, 430.
 Cœlodasys unicornis, 691.
 Colaptes auratus, 88.
 Coleoptera, 303, 385, 452.
 Collosphæra, 746.
 Collozoum, 746.
 Collurio Ludovicianus, 87.
 Colorado, flora of, 304.
 Colpodella, 735.
 Contopus borealis, 308.
 Corethra, 713.
 Corydalis cornutus, 533.
 Cossonidæ, 466.
 Cotton worm, 562, 722.
 Crab, megalops of, 495.
 zoëa of, 495.
 Crustacea, 438.
 change of colors in, 556.
 Crying bird, 89.
 Cucullia Speyeri, 692.
 Cupuliferæ, 422.
 Curculionidæ, 460.
 Cuttle-fishes, 167, 226.
 Cuyamaca Mountains, animal life of, 14.
 botany of, 90.
 Cyanura cristata, 87.
 Cynips q. operator, 563.
 Cyprinidæ, 436.
 Cyprinoids of New Jersey, 326.
 Darwin, Charles Robert, 473.
 Deep sea dredgings, 431.
 explorations, 369, 755.
 soundings, 504.
 Deer, antlers of, 348.

- Deinamœba mirabilis*, 742.
Deltocyathus Agassizii, 153.
Dendroeca occidentalis, 16.
 Desmids, 181, 698.
 Diatoms, 309, 371, 568, 697, 701.
Dibothrium cordiceps, 78.
Diluvium, human skeleton from, 370.
Diptera deridens, 692.
Docophorus syrnii, 219.
 Dog, 758.
Draba ventosa, 212.
 Dragon fly, 432.
Drosera filiformis, 396.
 longifolia, 55.
 rotundifolia, 55.
 Eared grebe, 243.
Echinus, 215.
 English sparrow, 436, 667, 692.
Eudromias montana, 600.
Eudryas unio, 691.
Eugenes fulgens, 241.
Euryomia melancholica, 687.
 Evolution, 439.
Falco communis, 598.
 Ferns, 307.
 Fish, change of color in, 556.
 Fish culture, 557.
 Flies, 497.
 metamorphosis of, 603, 661, 713.
Florida cærulea, 89.
 flora of, 449.
 Fort Ancient, 759.
 Fossil horses, 288.
 Fungi, 697.
Galeocерdo, 131.
 Gall flies, dimorphism in, 563.
 Game falcon, 266.
Garzetta candidissima, 89.
 Gentians, fertilization of, 180, 226.
 Geryon, 153.
Gobiosoma molestum, 233.
Goniodes mephitidis, 219.
 Merriamianus, 219.
 Grasshoppers, 53, 502, 511.
Gregarina, 736.
Gromia terricola, 742.
 socialis, 746.
Hæmatozoa, 250.
 Hair worm, 757.
Haliomma, 743.
Haplogastra, 390.
 Hawks, nesting of, 596.
Heliozoa, 743.
 Herbarium cases, 471.
Heterogastra, 464.
Hippasteria phrygiana, 148.
Hirundo lunifrons, 599.
 Honey-ants, 365.
 House sparrow, 556.
Hyalonema longissimum, 147.
Hydra, 244.
Hydrochelidon fissipes, 188.
Hydrozoa, new order of, 757.
 Indian food, 247.
 pottery, 245, 694.
Infusoria, 498.
 Insects, 271, 369, 507.
 organs of hearing in, 236.
 spiracles in, 531.
Ionidium, 690.
Iphiclide Ajax, 257.
Isoetes Bolanderi, 214.
Isoetes echinospora, 215.
 Nuttallii, 215.
 pygmæa, 214.
Japyx solifugus, 501.
 subterranean, 501.
 Kansas, birds of, 757.
 Kinglets in New Jersey, 364.
Lagomys princeps, 15.
Lepidoptera, antennæ in, 519.
Limnanthemum lacunosum, 250.
 Little chief hare, 15.
 Lobster, 414, 764.
 Loggerhead shrike, 87.
Loligo Pealii, 170.
 pallida, 168.
 Mammals, marine, 632.
 Maple borer, 57, 123.
Membracis, 565.
Menopon picicola, 219.
Microtome, 126.
Miliola, 746.
 Minnow, 58.
 Mollusks, 116.
Monera, 728.
Monothalamia, 743.
 Mosquito, auditory apparatus of, 578.
 Moths, North American, 223.
 transformations of, 691.
 Mountain quail, 17.
Musca, 603, 661, 713.
Myliobatis, 133.
Myriopods, 430.
Myrmecocystus Mexicanus, 366.
Myrmica molefaciens, 513.
Myxastrum, 735.
Myxine limosa, 149.
Nadata gibbosa, 691.
Naucleus forficatus, 88.
Nirmus buteonivorus, 219.
 Noctuid moths, 421.
Notodonta, 691.
Numenius longirostris, 601.
Octopus Bairdii, 174.
 Olive-sided flycatcher, 308.
Ommastrephes illecebrosa, 172.
Ophioscolex glacialis, 147.
Oreortyx pictus, 17.
 Ornithology, field, 418.
 Florida, 85.
 South Carolina, 6.
Orthocarpus Parryi, 214.
 Ostrich, 757.
Otiiorhynchidæ, 452.
 Ovary, 680.
 Owls, 239.
Palæmon serratus, 561.
Pamphagus mutabilis, 742.
Pedicularis Parryi, 214.
Pelomyxa palustris, 742, 745.
 Penikese Island, flora of, 193.
 Peru, civilization of, 637.
Phelipæa lutea, 214.
 Plant lice, 231.
 Plants, Alpine, 552.
 æstivation of, 705.
 insectivorous, 684.
 water contained in, 553.
Platyserum tetracilla, 691.
Platysamia Cæcilia, 531.
Plectrophanes Mæveni, 602.

- Plotus anHINGA*, 89.
Podiceps auritus, 243.
Podura scales, 376, 702.
Polistes, 229.
Polycystina, 744.
Polymorphic butterfly, 257.
Polythalamia, 743, 746.
Polyzoa, 421.
Potato, 248.
Protamoeba, 729.
Protista, 731.
Protobathybius, 731.
Protohippus, 126.
Protomonas, 731, 732.
Protomyxa, 732.
Protozoa, 728.
Pseudofilaria, 740.
Psychomorpha epimenis, 691.
Pyrola elliptica, 710, 713.

Radiolaria, 743, 746.
Rainfall, 635.
Raja ocellata, 131.
Reversion of Animals, 754.
Rhine, 637.
Rhinida, 466.
Rhinomacrida, 391.
Rhizopoda, 741, 761.
Rhyuchitida, 392.
Ribes Wolfii, 358.
Robin, 203.
Rubus odoratus, 709, 711.
Ruddy duck, 433.
Rumex patientia, 305.

Salix laevigata, 202.
pyrifolia, 202.
Saprolegnia, 374.
Sarcophaga, 719.
sarcocenia, 686.
Sarcocenia variolaris, 686.
Schizaster fragilis, 147.
Schizothuria integrifolia, 213.
Science, principles of, 628.
Scolytidae, 466.
Seaweeds, 51.
Section cutter, 59.
Seeds, di-persion of, 690.
Seimrus Ludovicianus, 238.
Selachians, testling among, 129.
Sex in plants, 355.
origin of, 19.
Silica films, 695.
Sitta pusilla, 83.
Skunk, 437.
Slide, Holman's siphon, 217.
Small-flowered Parnassia, 305.
Snakes, 432.

Snow goose, 637.
Snowy egret, 89.
Solar physics, 222.
Sparrow hawk, 266.
Sphaeraphides, 638.
Sphyrapticus thyroideus, 242.
Spider, gossamer, 592.
Spiders, 361.
Spizella Breweri, 366.
Sponges, 425.
Spontaneous generation, 238.
Squid, 120.
Squids, 167.
Stanleya tomentosa, 212.
Stapelia variegata, 687.
Stingless honey-bees, 553.
Subularia aquatica, 178.
Sundew, 55.
Swainson's buzzard, 282, 596.
Swallow-tailed kite, 88.

Telea Polyphemus, 243, 753.
Termites, 553.
Tern, 433.
Territories, geology of, 216.
Testicle, 680.
Tetrapyle, 743.
Tissues for section, 191.
Townsendia condensata, 213.
Parryi, 212.
Trilobites, 439.
Tringa pitlochnensis, 500.
Trochilum acericolum, 57.
Troglodytes, 505.
Tyrannus verticalis, 599.

Umbonia, 565.

Vampyrella, 734.
Vaucheria, circulation of, 444.

Warbler, chesnut-sided, 756.
Water Turkey, 89.
Western Warbler, 16.
Wyoming, botany of, 175, 211.
Whale-fishery, American, 632.
Wheeler's Expedition, 683.
White necked raven, 429.
Wild cattle of Scotland, 135.
Woodlands, American, 687.
Worms, 427.
embryos of, 46.
segmental organs of, 51.

Xanthoptera semicrocea, 685.

Yellow-shafted flicker, 88.
Yucca filamentosa, 749.